

### Certificate of Analysis

**Company:** Satori VT

**Sample ID:** Process Lot

**Lot:** 0067-016SM198-010CC

**Report Date:** 7/28/2023

**Matrix:** Flower

**Date Analyzed:** 7/27/2023

**Customer ID:** 220620-0

**Date Sampled:** 7/25/2023

**Analyst:** 011

**Grower License #:** CLTV0067 - MANU0011

**Date Received:** 7/25/2023

**Report ID:** C230725AI

### Cannabinoid Summary

| Cannabinoid Profile       | LOQ (mg/g) | Concentration (mg/g) | Weight (%)   |
|---------------------------|------------|----------------------|--------------|
| CBDVA                     | 0.0005     | <LOQ                 | <LOQ         |
| CBDV                      | 0.0012     | <LOQ                 | <LOQ         |
| CBDA                      | 0.0008     | 0.84                 | 0.08         |
| CBGA                      | 0.0008     | 2.82                 | 0.28         |
| CBG                       | 0.0019     | <LOQ                 | <LOQ         |
| CBD                       | 0.0019     | <LOQ                 | <LOQ         |
| THCV                      | 0.0021     | <LOQ                 | <LOQ         |
| CBN                       | 0.0013     | <LOQ                 | <LOQ         |
| Δ9-THC                    | 0.0020     | 2.94                 | 0.29         |
| Δ8-THC                    | 0.0019     | <LOQ                 | <LOQ         |
| THC-A                     | 0.0034     | 179.39               | 17.94        |
| CBC                       | 0.0024     | <LOQ                 | <LOQ         |
| <b>Total THC</b>          |            | <b>160.26</b>        | <b>16.03</b> |
| <b>Total CBD</b>          |            | <b>0.74</b>          | <b>0.07</b>  |
| <b>Total Cannabinoids</b> |            | <b>185.98</b>        | <b>18.60</b> |

**16.03%**
**Total THC**
**0.07%**
**Total CBD**
**18.6%**
**Total Cannabinoids**
**0.29%**
**Δ9-THC**
**11.33%**
**Percent Moisture**
**1 : 0**
**THC : CBD Ratio**

Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)

Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:  
 Total THC = (THCA × 0.877) + Δ9-THC      Total CBD = (CBDA × 0.877) + CBD  
 Ratio of Total CBD: Total THC      Reagent Blanks: < LOQs for all analytes


LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the particular quantity subject to measurement.  
 Δ9-THC MU = ±0.005%      Total THC MU = ±0.007%

All other cannabinoid MU values are available upon request.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.



This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

 Certified by:     *Luke E.M*      
 Luke Emerson Mason (Laboratory Director, Bia Diagnostics)

## Certificate of Analysis

**Company:** Satori VT

**Sample ID:** Process Lot

**Lot:** 0067-016SM198-010CC

**Report Date:** 8/1/2023

**Matrix:** Flower

**Date Analyzed:** 7/27/2023

**Customer ID:** 220620-0

**Date Sampled:** 7/25/2023

**Analyst:** 045

**Grower License #:** CLTV0067 - MANU0011

**Date Received:** 7/25/2023

**Report ID:** C230725AI

### Terpenes Summary

| Terpene               | LOQ (mg/g) | Results (mg/g) | Weight (%)   |
|-----------------------|------------|----------------|--------------|
| $\alpha$ - Pinene     | 0.010      | 1.161          | 0.116        |
| Camphene              | 0.010      | 0.255          | 0.026        |
| $\beta$ -Myrcene      | 0.010      | 2.741          | 0.274        |
| b-Pinene              | 0.010      | 2.101          | 0.210        |
| 3-Carene              | 0.010      | <LOQ           | <LOQ         |
| $\alpha$ -Terpinene   | 0.010      | <LOQ           | <LOQ         |
| Limonene              | 0.010      | 4.493          | 0.449        |
| p-Cymene              | 0.010      | <LOQ           | <LOQ         |
| Ocimene               | 0.010      | <LOQ           | <LOQ         |
| Eucalyptol            | 0.010      | 0.053          | 0.005        |
| $\gamma$ -Terpinene   | 0.010      | 0.023          | 0.002        |
| Terpinolene           | 0.010      | 0.158          | 0.016        |
| Linalool              | 0.010      | 3.287          | 0.329        |
| Isopulegol            | 0.010      | <LOQ           | <LOQ         |
| Geraniol              | 0.010      | 0.037          | 0.004        |
| Caryophyllene         | 0.010      | 4.413          | 0.441        |
| $\alpha$ -Humulene    | 0.010      | 1.458          | 0.146        |
| Trans-Nerolidol       | 0.010      | <LOQ           | <LOQ         |
| Cis-Nerolidol         | 0.010      | <LOQ           | <LOQ         |
| Guaiol                | 0.010      | <LOQ           | <LOQ         |
| Caryophyllene Oxide   | 0.010      | 0.068          | 0.007        |
| $\alpha$ -Bisabolol   | 0.010      | 0.177          | 0.018        |
| <b>Total Terpenes</b> |            | <b>20.425</b>  | <b>2.043</b> |

**11.33%**
**Percent  
Moisture**

LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).

Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: &lt; LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.



This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by:



Luke Emerson Mason (Laboratory Director, Bia Diagnostics)

## Certificate of Analysis

**Company:** Satori VT

**Sample ID:** Harvest Lot

**Lot:** 0067-016SM198

**Matrix:** Flower

**Report Date:** 8/3/2023

**Date Analyzed:** 8/3/2023

**Customer ID:** 220620-0

**Date Sampled:** 7/25/2023

**Analyst:** 018


**Grower License #:** CLTV0067 - MANU0011

**Date Received:** 7/25/2023

**Report ID:** C230725AD

### Pathogen Summary

| Target Pathogens                                      | Method                                  | LOD (cfu/g) | Result (cfu/g) |
|---|---|-------------|----------------|
| Aspergillus -<br>flavus, fumigatus,<br>niger, terreus | Aspergillus AOAC<br>PTM No. 032104      | 5           | <LOD           |
| STEC  | STEC Virx AOAC<br>PTM No. 121203        | 5           | <LOD           |
| Salmonella spp.                                       | Salmonella II<br>AOAC PTM No.<br>010803 | 5           | <LOD           |



Test Methodology: Bio-Rad IQ-Check PCR Kits

cfu/g = colony forming units per gram

LOD = The lowest quantity that this method can reliably detect. Any microbial growth that was not detected is assumed to be less than the stated LOD (<LOD).

Reagent Blanks: <LOD for all analytes

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.


Certified by:   
 Luke Emerson Mason (Laboratory Director, Bia Diagnostics)

## Certificate of Analysis

|  |                                 |                                 |
|--|---------------------------------|---------------------------------|
| <b>Company:</b> Satori VT                    | <b>Sample ID:</b> Harvest Lot   | <b>Report Date:</b> 7/27/2023   |
|  | <b>Lot:</b> 0067-016SM198       | <b>Date Analyzed:</b> 7/27/2023 |
|  | <b>Matrix:</b> Flower           | <b>Analyst:</b> 048             |
| <b>Customer ID:</b> 220620-0                 | <b>Date Sampled:</b> 7/25/2023  | <b>Report ID:</b> C230725AD     |
| <b>Grower License #:</b> CLTV0067 - MANU0011 | <b>Date Received:</b> 7/25/2023 |                                 |

### Heavy Metal Summary

| Heavy Metal Profile | LOQ (ppm) | Concentration (ppm) |
|---------------------|-----------|---------------------|
| <b>Arsenic (As)</b> | 0.0001    | <b>0.0068</b>       |
| <b>Cadmium (Cd)</b> | 0.0001    | <b>0.0068</b>       |
| <b>Mercury (Hg)</b> | 0.0001    | <b>0.0023</b>       |
| <b>Lead (Pb)</b>    | 0.0001    | <b>0.0046</b>       |



|                  |
|------------------|
| 12.16%           |
| Percent Moisture |

Heavy Metal Methodology: ICP-MS using PerkinElmer NexION® 2000 ICP Mass Spectrometer

Reagent Blanks: < LOQs for all analytes


ppm = parts per million

LOQ = The lowest quantity that this method can reliably detect. Any heavy metal that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by:   
 Luke Emerson Mason (Laboratory Director, Bia Diagnostics)

## Certificate of Analysis

**Company:** Satori VT

**Sample ID:** Harvest Lot

**Lot:** 0067-016SM198

**Report Date:** 7/28/2023

**Matrix:** Flower

**Date Analyzed:** 7/27/2023

**Customer ID:** 220620-0

**Date Sampled:** 7/25/2023

**Analyst:** 045

**Grower License #:** CLTV0067 - MANU0011

**Date Received:** 7/25/2023

**Report ID:** C230725AD

### Pesticides/Mycotoxins Summary


| Category II Residual Pesticide | LOQ (ppm) | Concentration (ppm) |
|--------------------------------|-----------|---------------------|
| Abamectin                      | 0.0100    | <LOQ                |
| Acephate                       | 0.0010    | <LOQ                |
| Acequinocyl                    | 0.0010    | <LOQ                |
| Azoxystrobin                   | 0.0010    | <LOQ                |
| Bifenazate                     | 0.0010    | <LOQ                |
| Bifenthrin                     | 0.0010    | <LOQ                |
| Carbaryl                       | 0.0010    | <LOQ                |
| Cypermethrin                   | 0.0100    | <LOQ                |
| Etoazole                       | 0.0010    | <LOQ                |
| Imidacloprid                   | 0.0010    | <LOQ                |
| Myclobutanil                   | 0.0010    | <LOQ                |
| Pyrethrin I                    | 0.0010    | <LOQ                |
| Pyrethrin II                   | 0.0010    | <LOQ                |
| Spinosyn A                     | 0.0010    | <LOQ                |
| Spinosyn D                     | 0.0010    | <LOQ                |

| Category II Mycotoxin | LOQ (ppm) | Concentration (ppm) |
|-----------------------|-----------|---------------------|
| Ochratoxin A          | 0.0020    | NOT TESTED          |
| Aflatoxin B1          | 0.0002    | NOT TESTED          |
| Alfatoxin B2          | 0.0010    | NOT TESTED          |
| Alfatoxin G1          | 0.0002    | NOT TESTED          |
| Alfatoxin G2          | 0.0010    | NOT TESTED          |

| Category I Residual Pesticide | LOQ (ppm) | Concentration (ppm) |
|-------------------------------|-----------|---------------------|
| Chlorpyrifos                  | 0.0010    | <LOQ                |
| Imazalil                      | 0.0010    | <LOQ                |

|               |
|---------------|
| <b>12.16%</b> |
|---------------|

|                         |
|-------------------------|
| <b>Percent Moisture</b> |
|-------------------------|



LOQ = The lowest quantity this method can reliably detect. Any pesticide or mycotoxins that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

ppb = parts per billion

Pesticides/Mycotoxin Methodology: Liquid Chromatography with Tandem Mass Spectrometry using PerkinElme QSight® LX50 UHPLC and QSight 220 Mass Spectrometer

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.

Certified by: Luke E.M.  
 Luke Emerson Mason (Laboratory Director, Bia Diagnostics)

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context.

Results apply to the samples as received.

(802) 540-0148 laboratory@biadiagnostics.com